



FREE NATIONS

CANADIAN, FRENCH, DUTCH AND AUSTRALIAN FORCES IN WWII

A scan with Lists.

If you want fluff, etc., just go buy the book.




**TEAM
YANKEE**
WORLD WAR II

CANADIAN FORCES

4 CANADIAN MECHANIZED BRIGADE GROUP

BATTLE GROUP



BRIGADE GROUP SUPPORT



CANADIAN SPECIAL RULES

The Canadian Army has a number of features and weapons. These are reflected in the following special rules.

BAZOOKA SKIRTS

Leopard 1 tanks are fitted with 'bazooka skirts', spaced armour to protect them from light, hand-held anti-tank weapons.

Teams with Bazooka Skirts have Front and Side armour rating of 10 against HEAT weapons.

OVERHEAD FIRE

The M19 60mm mortar gives good service as a commando mortar firing both smoke and explosive rounds. It's arcing fire allows it to shoot over friendly troops as they attack.

An M19 60mm mortar team can shoot over friendly Teams. Cannot Shoot at Aircraft.

ALLIED SUPPORT

US SUPPORT

US 1ST ARMORED DIVISION

TEAM YANKEE



**M1 ABRAMS
TANK PLATOON**

TU102a

OR

TEAM YANKEE



**M60 PATTON
TANK PLATOON**

TU132

OR

TEAM YANKEE



**M113
MECH PLATOON**

TU104

US 1ST BATTALION, 7TH AVIATION

TEAM YANKEE




**AH-1 COBRA
ATTACK HELICOPTER
PLATOON**

TU111

US 124TH TACTICAL FIGHTER WING, USAF

TEAM YANKEE



**A-10 WARTHOG
FIGHTER FLIGHT**

TU112

4 Canadian Mechanized Brigade Group was available as the reserve for CENTAG (NATO Central Army Group) and was earmarked to support either the US 7th Corps or the West German 2. Korps. Once in combat, the brigade group would solely fight alongside one of these corps. You can take either US support units or West German support units, but not both at the same time.

WEST GERMAN SUPPORT

10. PANZERDIVISION

PANZER DIVISION 1



**LEOPARD 2
PANZER ZUG**

TG102

OR

PANZER DIVISION 1



**MARDER
PANZERGRENADIER
ZUG**

TG105

ARTILLERIE REGIMENT 4

PANZER DIVISION 1



**LARS
RAKETENWERFER
BATTERIE**

TG120

HEERESFLIEGER REGIMENT 26

PANZER DIVISION 1




**PAH
ANTI-TANK
HELICOPTER FLIGHT**

TG123

LUFTWAFFE

PANZER DIVISION 1



**TORNADO
STRIKE
FLIGHT**

TG124

Rules for West German Formations and Units are found in FW906 Leopard and TY502 Panzertruppen.

NATO ALLIED SUPPORT

Often divisions from other NATO nations, such as West German divisions or US divisions in CENTAG, fought alongside the 4 Canadian Mechanized Brigade Group.


You may take an Allied Formation as part of your Force. A NATO Allied Formation can be US, British, West German, French, Dutch, ANZAC (though not part of NATO, Australia and New Zealand are close US and British allies), or any other Force with a NATO Allied Formation in its support.

You may also take Allied Units listed in your Support as part of your Force.

An Allied Formation obeys all the rules for its own nationality. An Allied Formation Commander can only join Units in its own Formation or nation and only its Formation or national Units can benefit from its Command Leadership (see page 25 and 64 of *Team Yankee*).

An Allied Formation does not count as a Formation when determining if you have lost the game (see page 65 of *Team Yankee*).

4 CANADIAN MECHANIZED BRIGADE GROUP LEOPARD C1 ARMoured SQUADRON



4 CANADIAN MECHANIZED BRIGADE GROUP LEOPARD C1 ARMoured TROOP

LEOPARD C1 ARMoured TROOP
4x Leopard C1 **13 POINTS**
3x Leopard C1 **10 POINTS**

The Krauss-Maffei Leopard 1 adopted by the Canadians was the Leopard 1A3 with a welded turret fitted with the Belgian SABCA computerized fire-control system. The new tank was named the Leopard C1. An order was made for 114 tanks as well as a number of bridging and recovery vehicles.

The first Leopard C1 tanks were delivered in June 1978, with all 114 in Canadian hands by mid-1979. These first tanks went to the Royal Canadian Dragoons, stationed in Lahr, West Germany, who provided the armoured battalion for 4 Canadian Mechanized Brigade Group in 1985.

• TANK UNIT • BAZOOKA SKIRTS • INFRA-RED (IR) •

COURAGE 4+ **SKILL 3+**
MORALE 4+ ASSAULT 4+
REMOUNT 3+ COUNTERATTACK 4+

IS HIT ON 4+
FRONT SIDE TOP
9 5 1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	28"/70cm	32"/80cm	2+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
105mm L7 gun	40"/100cm	2	2	19	2+	Brutal, Laser Rangefinder, Smoke, Stabiliser
7.62mm AA MG	16"/40cm	3	3	2	6	
7.62mm MG	16"/40cm	1	1	2	6	

Crew: 4 - commander, gunner, loader, driver
Weight: 42.2 tonnes
Length: 9.54m (31'3.5")
Width: 3.37m (11'0.5")
Height: 2.7m (8'10")
Armour: Steel 19-21.7mm and 10-70 mm RHA

Weapons: 105mm Royal Ordnance L7A3 L/52 rifled Gun
2x FN 7.62mm MG
Speed: 65 km/h (40 mph)
Engine: MTU MB 838 CaM 500, 10-cylinder, multi-fuel engine, 819 hp (610 kW)
Range: 600 km (373 miles)

4 CANADIAN MECHANIZED BRIGADE GROUP M113 MECHANIZED COMPANY

4 CANADIAN MECHANIZED BRIGADE GROUP



**M113
MECHANISED COMPANY HQ**
TCA103

1x C1 rifle team
1x M113 (TCA105)

1 POINT

• INFANTRY FORMATION • HQ TRANSPORT •



COURAGE 3+

MORALE 3+
RALLY 3+

SKILL 2+

ASSAULT 4+
COUNTERATTACK 3+

IS HIT ON

4+

INFANTRY SAVE

3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20CM	8"/20CM	12"/30CM	12"/30CM	AUTO

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
C1 rifle team	16"/40CM	1	1	2	6	

4 CANADIAN MECHANIZED
BRIGADE GROUP

**M113 MECHANIZED
PLATOON**
TCA104

4 CANADIAN MECHANIZED
BRIGADE GROUP

**M113 MECHANIZED
PLATOON**
TCA104

4 CANADIAN MECHANIZED
BRIGADE GROUP

**LEOPARD C1
ARMoured TROOP**
TCA102

4 CANADIAN MECHANIZED
BRIGADE GROUP

**M150 TOW
ANTI-TANK SECTION**
TCA107

4 CANADIAN MECHANIZED
BRIGADE GROUP

**M113 MECHANIZED
PLATOON**
TCA104

4 CANADIAN MECHANIZED
BRIGADE GROUP

**M125
MORTAR PLATOON**
TCA106

4 CANADIAN MECHANIZED
BRIGADE GROUP

**LYNX RECCE
PATROL**
TCA111

CANADIAN FORCES





4 CANADIAN MECHANIZED BRIGADE GROUP M113 MECHANIZED PLATOON

M113 MECHANIZED PLATOON

- 3x C2 SAW team with M72 anti-tank
- 3x Carl Gustav anti-tank team
- 1x C5 GPMG team
- 1x M19 60mm mortar team
- 4x M113 (TCA105)

7 POINTS

- 2x C2 SAW team with M72 anti-tank
- 2x Carl Gustav anti-tank team
- 1x C5 GPMG team
- 1x M19 60mm mortar team
- 3x M113 (TCA105)

5 POINTS

A Canadian mechanized platoon is organised into three sections and command group. A section usually consists of ten men, a section commander (Sergeant) and 2IC (Master Corporal) each armed with a C1 FN assault rifle, M113 driver with an SMG, three riflemen with C1 FN assault rifles, two C2 heavy-barrel FN Squad Automatic Weapon (SAW) gunners, a Carl Gustav 84mm SRAAW (M) (Short-Range Anti-Armour Weapon-Medium) gunner and a Carl Gustav 84mm SRAAW (M) loader with a C1 FN assault rifle. The HQ Group also includes a C5 GPMG (M1919 chambered in 7.62mm NATO)) machine-gun and a 60mm mortar. The platoon is also issued with a number of M72 SRAAW (L) light short-range anti-armour weapons.

The mechanised platoons of 4 Canadian Mechanized Brigade Group are trained and prepared for large scale combined arms defence and counterattacks against a Warsaw Pact invasion of West Germany and Western Europe. Training, equipment and tactics are designed to face this threat, and annual exercises keep them fully prepared.

• INFANTRY UNIT •


COURAGE 4+

 MORALE 4+
RALLY 4+

SKILL 3+

 ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON
4+
INFANTRY SAVE
3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20CM	8"/20CM	12"/30CM	12"/30CM	AUTO

WEAPON	RANGE	HALTED	ROF	MOVING	ANTI-TANK	FIRE-POWER	NOTES
C2 SAW team or M72 anti-tank	16"/40CM 12"/30CM	2 1	2 1	2 1	2 12	6 5+	HEAT, Slow Firing
Carl Gustav anti-tank team	16"/40CM	1	1	1	17	3+	HEAT, Slow Firing
C5 GPMG team	16"/40CM	5	2	2	2	6	Assault 5, Heavy Weapon
M19 60mm mortar team	16"/40CM	1	1	1	1	4+	Assault 5, Overhead Fire, Slow Firing, Smoke

4 CANADIAN MECHANIZED BRIGADE GROUP M113 TRANSPORT

• TANK ATTACHMENT • AMPHIBIOUS • PASSENGERS 3 •


COURAGE 4+

 MORALE 4+
REMOUNT 4+

SKILL 3+

 ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+
FRONT
3
SIDE
2
TOP
1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	32"/80CM	3+

WEAPON	HALTED	MOVING	ANTI-TANK	FIRE-POWER
.50 cal AA MG	3	2	4	5+

Crew: 2 - commander, driver
+ 11 passengers

Weight: 12 tonnes

Length: 4.86m (16')

Width: 2.69m (8' 10")

Height: 1.83m (6')

Armour: 38mm Aluminium

Weapons: .50 cal M26 heavy MG
Speed: 68 km/h (42 mph)

Engine: Detroit Diesel 6V53T,
6-cylinder diesel engine
275 hp (205 kW)

Range: 483 km (300 miles)

4 CANADIAN MECHANIZED BRIGADE GROUP M125 MORTAR PLATOON

M125 MORTAR PLATOON

8x M125
4x M125
2x M125

7 POINTS
3 POINTS
1 POINT

Canadian mortar platoons are armed with the C3 81mm mortar. The mortar platoon provides the mechanized battalions with immediate indirect fire support, firing high-explosive fragmentation and smoke rounds.

In peacetime, the C3 81mm mortar was carried in an M113 APC, but with war looming, the Canadian government arranged to provide the mortar men of 4 Canadian Mechanized Brigade Group with M125 Mortar Carriers. The M125 allows the mortars to be fired from the safety of their transports, saving time on set-up and allowing the platoon to reposition quickly.

• TANK UNIT • AMPHIBIOUS •



COURAGE 4+
MORALE 4+
REMOUNT 4+

SKILL 3+
ASSAULT -
COUNTERATTACK -

IS HIT ON 4+

FRONT 3 SIDE 2 TOP 0

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	32"/80CM	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
C3 81mm mortar	56"/140CM	ARTILLERY		1	4+	Smoke Bombardment
.50cal AA MG	20"/50CM	3	2	4	5+	

4 CANADIAN MECHANIZED BRIGADE GROUP M150 TOW ANTI-TANK SECTION

M150 TOW ANTI-TANK SECTION

3x M150 TOW
2x M150 TOW

4 POINTS
3 POINTS

The Improved TOW (Tube launched, Optically tracked, Wire-guided) missile weapon system is a soldier-portable and vehicle-mounted long-range anti-armour weapons system. While it can be man-packed over short distances, the Canadian Defence Force usually mounts the TOW on a vehicle. In 4 Canadian Mechanized Brigade Group, the TOW missile systems were fitted to M113A2 Armoured Personnel Carriers. In this configuration it was known as M150 TOW.

The TOW was designed to defeat armoured vehicles and other targets such as field fortifications from ranges up to 3750 meters. After firing the missile, the gunner tracks it by keeping the cross-hairs of the sight centred on the target to ensure a hit. The system operates in all weather conditions as it only requires that the gunner to physically see the target throughout the missile's flight. At night, the gunner is further aided by a thermal imaging night sight.

• TANK UNIT • AMPHIBIOUS • THERMAL IMAGING •



COURAGE 4+
MORALE 4+
REMOUNT 4+

SKILL 3+
ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT 3 SIDE 2 TOP 0

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	32"/80CM	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
Improved TOW missile	8"/20CM - 48"/120CM	1	-	21	3+	HEAT, Guided
.50cal AA MG	20"/50CM	3	2	4	5+	

4 CANADIAN MECHANIZED BRIGADE GROUP LYNX RECCE PATROL

LYNX RECCE PATROL

2x Lynx

2 POINTS

In 1960, the Canadians replaced their aging Ferret armoured cars with the new M113½ Command and Reconnaissance Vehicle (M113 CRV), or as the Canadians designated it, the Lynx. The Lynx was built by FMC, who already manufactured the M113 armoured personnel carrier, and the Lynx, though smaller, shared many of the M113 APC's components. Like the M113, the Lynx is amphibious.

The Canadian forces took delivery of 174 vehicles and these were issued to both the reconnaissance squadron of each armoured regiment (D Squadron) and the reconnaissance platoon of each infantry battalion's combat support company.

The Canadian Lynx is armed with a .50 cal heavy machine-gun and a 7.62mm machine-gun. The commander operates the manually traversed M26 heavy machine-gun cupola from inside the vehicle. The rear-facing observer operates the radio and fires the pintle-mounted 7.62mm machine-gun.

• TANK • AMPHIBIOUS • SPEARHEAD • SCOUT • INFRA-RED (IR) •

**COURAGE 4+****SKILL 3+**MORALE 4+
REMOUNT 4+ASSAULT 5+
COUNTERATTACK 6**IS HIT ON 4+**

FRONT

SIDE

TOP

3

2

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	28"/70CM	32"/80CM	3+

WEAPON	RANGE	HALTED	ROF MOVING	ANTI-TANK	FIRE-POWER	NOTES
.50 cal AA MG	20"/50CM	3	2	4	5+	
7.62mm MG	16"/40CM	1	1	2	6	

Crew: 3 - commander, observer, driver

Weight: 8.77 tonnes

Length: 4.6m (15' 1")

Width: 2.4m (7' 10")

Height: 2.2m (7' 2.5")

Armour: 38mm Aluminium

Weapons: .50 cal M2 heavy MG

7.62mm machine-gun

Speed: 71 km/h (44 mph)

Engine: GMC Detroit Diesel 6V-53

6-cylinder, 215 HP

Range: 523 km (325 miles)

BRIGADE GROUP SUPPORT

4 CANADIAN MECHANIZED BRIGADE GROUP M109 FIELD BATTERY

M109 FIELD BATTERY

6x M109

14 POINTS

3x M109

7 POINTS

The Canadians began fielding the M109 self-propelled howitzer in 1968. The Royal Canadian Horse Artillery, which provided the artillery support for 4 Canadian Mechanized Brigade Group, fielded four batteries of six M109.

• TANK UNIT •

**COURAGE 4+****SKILL 3+**MORALE 4+
REMOUNT 4+ASSAULT 5+
COUNTERATTACK 5+**IS HIT ON 4+**

FRONT

SIDE

TOP

2

2

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	28"/70CM	3+

WEAPON	RANGE	HALTED	ROF MOVING	ANTI-TANK	FIRE-POWER	NOTES
M126 155mm howitzer	88"/220CM	ARTILLERY		4	2+	Smoke Bombardment
or Direct fire	24"/60CM	1	1	12	1+	Brutal, Slow Firing, Smoke
.50 cal AA MG	20"/50CM	3	2	4	5+	



M113 OP

M113 OP

1x M113 OP

1 POINT

You must field:

- an M125 Mortar Platoon (TCA106), or
 - an M109 Field Battery (TCA108), or
 - a West German LARS Raketenwerfer Batterie (TG120),
- before you may field an M113 OP.

he forward observer of the Royal Canadian Horse Artillery is provided with an M113 APC fitted with additional optical equipment to aid their battlefield role.

• INDEPENDENT TANK UNIT • AMPHIBIOUS • OBSERVER • SCOUT • INFRA-RED (IR) •



COURAGE 4+

MORALE 4+

REMOUNT 4+

SKILL 3+

ASSAULT 5+

COUNTERATTACK 5+

IS HIT ON 4+

FRONT

3

SIDE

2

TOP

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	32"/80CM	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
.50 cal AA MG	20"/50CM	3	2	4	5+	

ADATS AIR DEFENCE PLATOON

ADATS
AIR DEFENCE PLATOON

6x ADATS missile launcher

15 POINTS

4x ADATS missile launcher

10 POINTS

2x ADATS missile launcher

5 POINTS

efore the war broke out in 1985, the Canadian Defence Force had showed an interest in the Swiss company Oerlikon-Contraves's Air Defence Anti-Tank System (ADATS). Some test systems have been supplied to the Royal Canadian Horse Artillery in Germany to test its dual-purpose short range surface-to-air and anti-tank missile capabilities in combat.

• TANK UNIT • AMPHIBIOUS • INFRA-RED (IR) •



COURAGE 4+

MORALE 4+

REMOUNT 4+

SKILL 3+

ASSAULT 5+

COUNTERATTACK 5+

IS HIT ON 4+

FRONT

3

SIDE

2

TOP

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	32"/80CM	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
ADATS missile launcher anti-aircraft	72"/180CM	3	-	-	3+	Guided AA
or Anti-tank	16"/40CM-64"/160CM	1	-	24	3+	Guided, HEAT

M113 BLOWPIPE AIR DEFENCE SECTION

M113 BLOWPIPE AIR DEFENCE SECTION

6x M113 Blowpipe

8 POINTS

3x M113 Blowpipe

4 POINTS

he British Blowpipe is a man-portable air-defense system (MANPADS) used by the air defence sections of the Royal Canadian Horse Artillery. These are allocated among the battle groups of the 4 Canadian Mechanized Brigade Group. As the British discovered in the Falklands, the Blowpipe missile could also be used against ground targets in an emergency. However, it wasn't encouraged!

• TANK UNIT • AMPHIBIOUS • INFRA-RED (IR) •



COURAGE 4+

MORALE 4+

REMOUNT 4+

SKILL 3+

ASSAULT 5+

COUNTERATTACK 5+

IS HIT ON 4+

FRONT

3

SIDE

2

TOP


1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	32"/80CM	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
Blowpipe AA missile	48"/120CM	2	-	-	4+	Guided AA
or Firing at Tanks and Infantry	16"/40CM-32"/80CM	1	-	12	4+	Guided, HEAT
7.62mm AA MG	16"/40CM	3	3	2	6	

FRENCH FORCES

3^{ÈME} DIVISION BLINDÉE



FRENCH SPECIAL RULES

The French Army has a number of features and weapons. These are reflected in the following special rules.

AUTOLOADER

The AMX AuF1 155mm howitzer is fitted with an auto-loading system, allowing it to lay down quick devastating barrages.

When a weapon with an Autoloader fires an Artillery Bombardment reduce the score required To Hit Teams under the Template by 1.

GUN SLINGER

Gazelle helicopters armed with 20mm autocannons were used to suppress the enemy and hunt other helicopters, leaving the coast clear for the Gazelle HOTs to do their anti-tank work.

A Gun Slinger helicopter can use Tall terrain for Concealment (see page 42 of *Team Yankee*), and can remain Gone to Ground while moving.

Enemy Anti-aircraft, Anti-helicopter, and Infantry weapons Shoot at a Gun Slinger helicopter after it Shoots in its own turn (instead of before when normally shooting at Aircraft).

HAMMERHEAD

The VAB Mephisto's HOT missile turret works on a similar principle as the US 'hammerhead' turret on the M901 and Dutch YPR-765. Like those vehicles, the Mephisto can remain concealed behind cover while shooting.

A Team with the Hammerhead rule can remain Gone to Ground while shooting HOT anti-tank guided missiles.

MILAN MOUNT

Both the AMX-10P and VAB armoured transports could mount their passengers' Milan anti-tank guided missile to be fired from the vehicle.


A Unit with a Transport Attachment with Milan Mount may remove Milan missile teams before the game, mounting a Milan missile on one of the Unit's Transport Teams for each team they removed.

RADAR

Anti-aircraft radar on the AMX-13 DCA makes tracking fast-moving aircraft much easier, especially at long range.

The Twin 30mm AA gun on a AMX-13 DCA has a Range of 36"/90cm against aircraft and does not suffer the usual +1 To Hit penalty for range over 16"/40cm when Shooting at Aircraft.

SUPPORT




NATO ALLIED SUPPORT

en divisions from other NATO nations, such as West man divisions or US divisions in CENTAG, fought gside the divisions of the French Army.

may take an Allied Formation as part of your Force. A TO Allied Formation can be US, British, West German, adian, Dutch, ANZAC (though not part of NATO, ralia and New Zealand are close US and British allies), ny other Force with a NATO Allied Formation in pport.

An Allied Formation obeys all the rules for its own nationality. An Allied Formation Commander can only join Units in its own Formation or nation and only its Formation or national Units can benefit from its Command Leadership (see page 25 and 64 of *Team Yankee*).

An Allied Formation does not count as a Formation when determining if you have lost the game (see page 65 of *Team Yankee*).



3ÈME DIVISION BLINDÉE AMX-30 ESCADRON BLINDÉ

3ÈME DIVISION BLINDÉE



**AMX-30
ESCADRON BLINDÉ HQ**
TF101

1x AMX-30 **2 POINTS**



• TANK FORMATION • INFRA-RED (IR) •

COURAGE 2+

MORALE 4+
REMOUNT 4+

SKILL 2+

ASSAULT 4+
COUNTERATTACK 3+

IS HIT ON 4+

FRONT

SIDE

TOP

11

4

1

3ÈME DIVISION BLINDÉE



**AMX-30
PELTON BLINDÉ**
TF102

3ÈME DIVISION BLINDÉE




**AMX-30
PELTON BLINDÉ**
TF102

3ÈME DIVISION BLINDÉE



**AMX-30
PELTON BLINDÉ**
TF102

3ÈME DIVISION BLINDÉE



**AMX-30
PELTON BLINDÉ**
TF102

OR

3ÈME DIVISION BLINDÉE



**AMX-10P
SECTION
DE CHASSEURS**
TF104

3ÈME DIVISION BLINDÉE AMX-30 PELOTON BLINDÉ

AMX-30 PELOTON BLINDÉ

4x AMX-30

10 POINTS

3x AMX-30

8 POINTS

• TANK UNIT • INFRA-RED (IR) •



COURAGE 3+

MORALE 5+
REMOUNT 4+

SKILL 3+

ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON 4+

FRONT

SIDE

TOP

11

4

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	28"/70cm	32"/80cm	4+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
105mm F1 gun	40"/100cm	2	1	19	2+	Brutal, Laser Rangefinder, Smoke
20mm M693 gun	20"/50cm	3	2	6	5+	Anti-helicopter
7.62mm AA MG	16"/40cm	1	1	2	6	

Crew: 4 - commander, gunner,
loader, driver

Weight: 36 tonnes

Length: 9.48m (31'1")

Width: 3.1m (10'1")

Height: 2.28m (8'6")

Armour: 30mm-120mm Composite Steel

Weapons: CN 105 F1 105mm Gun

1x M693 F1 20mm autocannon

1x AAN 7.62mm MG

Speed: 65 km/h (40 mph)

Engine: Hispano-Suiza HS-110.2 diesel

680 hp (510 kW)

Range: 650 km (403 miles)

The armour of the AMX-30 is the lightest of the first-generation NATO tanks, using a composite of welded and cast armoured plates, while the turret is made of one single casting. It is armed with the excellent CN 105 F1 105mm L/56 rifled gun (with similar performance to the 105mm L7 gun found on the Leopard 1). The gun is not stabilised and can fire kinetic penetrator armour piercing (APFSDS), discarding-sabot (APFSDS, fleche or arrow), high-explosive (HE), high-explosive anti-tank (HEAT), high-explosive fragmentation (HE-FRAG), incendiary, smoke and illumination rounds. It is compatible with all standard NATO 105mm munitions.

One unique feature of the AMX-30 is its 20mm coaxial autocannon which could be elevated independently from the main gun to engage helicopters. It also mounted a 7.62mm MG on the commander's cupola.

3ÈME DIVISION BLINDÉE AMX-10P COMPAGNIE DE CHASSEURS

3ÈME DIVISION BLINDÉE



**AMX-10P
COMPAGNIE DE CHASSEURS HQ**
TF103

1x FAMAS assault rifle team
1x AMX-10P (TF105)

1 POINT

• INFANTRY FORMATION • HQ TRANSPORT •



COURAGE 2+

MORALE 4+

RALLY 3+

SKILL 2+

ASSAULT 4+

COUNTERATTACK 3+

IS HIT ON

4+

INFANTRY SAVE

3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20CM	8"/20CM	12"/30CM	12"/30CM	AUTO

WEAPON	RANGE	ROF HALTED	ROF MOVING	ANTI- TANK	FIRE- POWER	NOTES
FAMAS assault rifle team	8"/20CM	3	3	1	6	Pinned ROF 1

3ÈME DIVISION BLINDÉE



**AMX-10P
SECTION
DE CHASSEURS**
TF104

3ÈME DIVISION BLINDÉE



**AMX-10P
SECTION
DE CHASSEURS**
TF104

3ÈME DIVISION BLINDÉE



**AMX-30
PELOTON BLINDÉ**
TF102

OR

3ÈME DIVISION BLINDÉE



**AMX-10P
SECTION
DE CHASSEURS**
TF104

3ÈME DIVISION BLINDÉE



**AMX-10P
SECTION
DE CHASSEURS**
TF104



FRENCH FORCES

3ÈME DIVISION BLINDÉE AMX-10P SECTION DE CHASSEURS

AMX-10P SECTION DE CHASSEURS

- 5x FAMAS team with AC-58 anti-tank grenade
- 2x LRAC 89mm anti-tank team
- 4x AMX-10P (TF105)

7 POINTS

- 3x FAMAS team with AC-58 anti-tank grenade
- 2x LRAC 89mm anti-tank team
- 3x AMX-10P (TF105)

4 POINTS

OPTION

- Replace 1x LRAC 89mm anti-tank team with APILAS anti-tank team for +1 point.
- Add 2x Milan missile team and 1x AMX-10P (TF105) for +2 points.

A Section de Chasseurs is organised into three combat groups, each with seven men. Each group is further divided into a 300m team and a 600m team. The 300m team is armed with FAMAS assault rifles and anti-tank rifle grenades, while the 600m team are additionally armed with a 7.62mm NF1 machine-gun. The unit is also armed with a pair of short range anti-tank weapons, usually the 89mm LRAC (*Lance-Roquettes AntiChar de 89 mm modèle FI*) reusable rocket launcher, but some units are issued with the new disposable APILAS (*Armor-Piercing Infantry Light Arm System*) portable one-shot 112mm recoilless anti-tank weapon.

The company's Milan missile anti-tank section is allocated out to the Sections as required. The Milan missile is an effective medium ranged wire-guided anti-tank missile, ideal for ambush situations, while both the 89mm LRAC and APILAS are best used in defensive combat against tanks.

The section is transported in the AMX-10P infantry fighting vehicle. The AMX-10P is fully amphibious, armed with a 20mm F2 M693 autocannon and a 7.62mm NF1 machine-gun. It can also optionally mount one of the Milan firing posts from the Milan section. It can carry up to eight troops and has a crew of three (commander, gunner and driver).

• INFANTRY UNIT • INFRA-RED (IR) •

COURAGE 3+

 MORALE 5+
RALLY 4+

SKILL 3+

 ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON
4+
INFANTRY SAVE
3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20CM	8"/20CM	12"/30CM	12"/30CM	AUTO

WEAPON	RANGE	HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
FAMAS team or AC-58 anti-tank grenade	16"/40CM	3	2	2	5+	HEAT, Slow Firing
LRAC 89mm anti-tank team	8"/20CM	1	1	13	5+	Assault 5, HEAT, Slow Firing
APILAS anti-tank team	16"/40CM	1	1	17	4+	Assault 5, HEAT, Slow Firing
Milan missile team	8"/20CM - 36"/90CM	1	1	21	3+	Assault 5, HEAT, Slow Firing
				21	3+	Assault 5, Guided, HEAT

3ÈME DIVISION BLINDÉE AMX-10P TRANSPORT

• TANK ATTACHMENT • AMPHIBIOUS • INFRA-RED (IR) • MILAN MOUNT • PASSENGERS 2 •

COURAGE 3+

 MORALE 5+
REMOUNT 4+

SKILL 3+

 ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON 4+

FRONT

2

SIDE

1

TOP

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	32"/80CM	3+

WEAPON	RANGE	HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
20mm gun	20"/50CM	3	2	6	5+	Anti-helicopter
7.62mm MG	16"/40CM	3	3	2	6	
Optional Milan Missile	8"/20CM - 36"/90CM	1	-	21	3+	Guided, HEAT

Crew: 3 - commander, gunner, driver + 8 passengers

Weight: 13.3 tonnes

Length: 5.77m (12' 4.4")

Width: 2.78m (9' 1.4")

Height: 2.57m (8' 5")

Armour: Protection against small arms fire up to 12.7mm.

 Weapons: 20mm M693 F1 autocannon
1x coaxial 7.62mm NF1 MG

Speed: 65 km/h (40 mph)

Engine: Hispano-Suiza Model 115-2 diesel

276 hp (205 kW)

Range: 600 km (373 miles)



3ÈME DIVISION BLINDÉE ESCADRON DE CAVALERIE

3ÈME DIVISION BLINDÉE

ESCADRON DE CAVALERIE HQ

TF106

1x VAB

1 POINT

• TANK FORMATION • AMPHIBIOUS • INFRA-RED (IR) • SCOUT •

COURAGE 2+

MORALE 4+
REMOUNT 3+

SKILL 2+

ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON 4+

FRONT

SIDE

TOP

2

2

0



TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	12"/30cm	20"/50cm	48"/120cm	4+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
12.7mm AA MG	20"/50cm	3	2	4	5+	

3ÈME DIVISION BLINDÉE

AMX-10 RC
PELTON
DE CAVALERIE

TF107

3ÈME DIVISION BLINDÉE

AMX-10 RC
PELTON
DE CAVALERIE

TF107

3ÈME DIVISION BLINDÉE

AMX-10 RC
PELTON
DE CAVALERIE

TF107

3ÈME DIVISION BLINDÉE

VAB
SECTION
D'INFANTERIE

TF110

OR

3ÈME DIVISION BLINDÉE AMX-10 RC PELTON DE CAVALERIE

AMX-10 RC PELTON DE CAVALERIE

4x AMX-10 RC

9 POINTS

3x AMX-10 RC

7 POINTS

• TANK UNIT • AMPHIBIOUS • INFRA-RED (IR) • SCOUT • SPEARHEAD •

COURAGE 3+

MORALE 5+
REMOUNT 4+

SKILL 3+

ASSAULT 4+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT

SIDE

TOP

2

1

0



TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	12"/30cm	18"/45cm	40"/100cm	4+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
105mm F2 gun	36"/90cm	2	1	19	2+	Brutal, HEAT, Laser Rangefinder, Smoke
7.62mm AA MG	16"/40cm	3	3	2	6	
7.62mm MG	16"/40cm	1	1	2	6	

The AMX-10 RC is based on the same armoured chassis as the AMX-10P IFV, sharing many mechanical components, but with 6x6 wheeled drive. Compared to France's NATO allies' reconnaissance vehicles, the AMX-10 RC is rather heavily armed with a 105mm rifled gun similar to the one fitted to the AMX-30 main battle tank. In combat, the platoon relies on the investigation group who advance ahead of the armoured cars to observe and detect the enemy. However, these elements do not engage, but instead withdraw to the AMX-10 RCs of the fire group for support, where the fire group's 105mm guns can easily destroy any Warsaw Pact reconnaissance vehicles.

Crew: 3 - commander, gunner,
loader, driver

Weight: 15 tonnes

Length: 6.24m (20'6")

Width: 2.78m (9'1.4")

Height: 2.57m (8'5")

Armour: Protection against small arms
fire up to 12.7mm.

Weapons: 105mm BK MECA (F2) gun
1x coaxial 7.62mm NE1 MG

Speed: 65 km/h (40 mph)

Engine: Baudouin Model 6F11 SRX
diesel

280 hp (209 kW)

Range: 1000 km (620 miles)



3ÈME DIVISION BLINDÉE VAB COMPAGNIE D'INFANTERIE

3ÈME DIVISION BLINDÉE



VAB
COMPAGNIE D'INFANTERIE HQ
TF109

1x FAMAS assault rifle team
1x VAB (TF111)

1 POINT

• INFANTRY FORMATION • HQ TRANSPORT •



COURAGE 2+

MORALE 4+
RALLY 3+

SKILL 2+

ASSAULT 4+
COUNTERATTACK 3+

IS HIT ON

4+

INFANTRY SAVE

3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20CM	8"/20CM	12"/30CM	12"/30CM	AUTO

WEAPON	RANGE	ROF HALTED	ROF MOVING	ANTI- TANK	FIRE- POWER	NOTES
FAMAS assault rifle team	8"/20CM	3	3	1	6	Pinned ROF 1

3ÈME DIVISION BLINDÉE



VAB
SECTION
D'INFANTERIE
TF110

3ÈME DIVISION BLINDÉE



VAB
SECTION
D'INFANTERIE
TF110

3ÈME DIVISION BLINDÉE



VAB
SECTION
D'INFANTERIE
TF110

3ÈME DIVISION BLINDÉE



MILAN
SECTION
ANTICHAR
TF112

OR

3ÈME DIVISION BLINDÉE



AMX-10 RC
PELTON
DE CAVALERIE
TF107

OR

3ÈME DIVISION BLINDÉE



AMX-30
PELTON BLINDÉ
TF102

FRENCH FORCES

While two regiments in an armoured division are mechanised *chasseurs* mounted in the AMX-10P IFVs, the third regiment in an armoured division (as well as all the infantry in a light armoured division or an infantry division) are mounted in the VAB (*Véhicule de l'avant blindé*) armoured personnel carrier. Each VAB mounted infantry regiment (*Régiment d'Infanterie Motorisée*) consists of four combat

companies (*Compagnie d'Infanterie*), a support company, and a headquarters. The combat companies are then divided into four combat sections. The support company provided additional weapons such a Milan anti-tank guided missile teams, some of which are attached directly to the infantry section, while some operate in anti-tank sections.



3ÈME DIVISION BLINDÉE VAB SECTION D'INFANTERIE

VAB SECTION D'INFANTERIE

7x FAMAS team
with AC-58 anti-tank grenade
2x LRAC 89mm anti-tank team
4x VAB (TF111)

8 POINTS

5x FAMAS team
with AC-58 anti-tank grenade
2x LRAC 89mm anti-tank team
3x VAB (TF111)

6 POINTS

OPTION

- Replace 1x LRAC 89mm anti-tank team with APILAS anti-tank team for +1 point.
- Add 1x Milan missile team for +1 point.

A Section d'Infanterie is made up of a headquarters group, four combat groups and an anti-tank group. The combat groups are armed with the 5.56mm FAMAS (*Fusil d'Assaut de la Manufacture d'Armes de Saint-Étienne*) assault rifle and 7.62mm NF-1 general purpose machine-gun. The FAMAS is also designed to fire a number of different rifle grenades including the AC-58 anti-tank grenade for short range defence against armoured vehicles. The anti-tank group is armed with two 89mm LRAC F1 (*Lance-Roquettes AntiChar de 89 mm modèle F1*) anti-tank rocket launchers. Sometimes the LRAC's firepower is also supplemented with the new APILAS disposable 112mm recoilless anti-tank weapon.

Additional longer range anti-tank firepower is provided by the Milan anti-tank guided missile group, attached from the regiment's support company.

The section is transport in the VAB 4x4 armoured personnel carrier. The VAB provides space to transport ten men and is armed with a 12.7mm (.50 cal) heavy machine-gun for fire support.

• INFANTRY UNIT • INFRA-RED (IR) •



COURAGE 3+

MORALE 5+
RALLY 4+

SKILL 3+

ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON

4+

INFANTRY SAVE

3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20CM	8"/20CM	12"/30CM	12"/30CM	AUTO

WEAPON	RANGE	HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
FAMAS team or AC-58 anti-tank grenade	16"/40CM 8"/20CM	3 1	2 1	2 13	5+ 5+	HEAT, Slow Firing
LRAC 89mm anti-tank team	16"/40CM	1	1	17	4+	Assault 5, HEAT, Slow Firing
APILAS anti-tank team	16"/40CM	1	1	21	3+	Assault 5, HEAT, Slow Firing
Milan missile team	8"/20CM-36"/90CM	1	-	21	3+	Assault 5, Guided, HEAT

3ÈME DIVISION BLINDÉE VAB TRANSPORT

• TANK ATTACHMENT • AMPHIBIOUS • MILAN MOUNT • PASSENGERS 3 •



COURAGE 3+

MORALE 5+
REMOUNT 4+

SKILL 3+

ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT

2

SIDE

2

TOP

0

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	12"/30CM	18"/45CM	48"/120CM	5+

WEAPON	RANGE	HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
12.7mm AA MG	20"/50CM	3	2	4	5+	
Optional Milan missile	8"/20CM-36"/90CM	1	-	21	3+	Guided, HEAT, Infra-Red (IR)

Crew: 2 - commander/gunner, driver
+ 10 passengers

Weight: 13.8 tonnes

Length: 5.98m (19' 7")

Width: 2.49m (8' 2")

Height: 2.06m (6' 9")

Armour: Protection against

small arms fire

Weapons: Mitrailleur de 12.7mm

Speed: 110 km/h (68 mph)

Engine: Renault MIDR 062045

220 hp (164 kW)

Range: 1200 km (750 miles)



Capitaine Drye had been with the 110e Regiment d'Infanterie for only two months, having just been promoted to his command. His orders were to hold the ground he occupied. Concealed by woodland, his company had two platoons to his south and one to his north. In addition, he had an attached anti-tank section of two Milan anti-tank missile teams deployed on his far north flank.

He had been told to expect a Czech attack and ordered not to let them through his position. Reinforcements were due in two hours, he and his company just had to hold on until this relief force arrived.

Drye watched the Czech recon units advancing toward his Company's position. He didn't want to spring his ambush on these units. To give his position away this early would be suicide.

He ordered the platoon to his north, which was the closest platoon to the enemy, to open fire when the enemy was within 200 metres.

Shortly afterwards, flashes began erupting from the woods. The lead BRDM-2 went up in flames. A second BRDM-2 followed. The third BRDM-2 slammed to a halt and began to reverse, spraying the northern platoon's position with machine-gun fire. One of the men stood up and fired an AC-58 anti-tank grenade from his FAMAS rifle. It resulted in a direct hit, and up in flames went the third BRDM-2. As Drye watched on, the action seemed to go on forever, but it was all over in less than a minute.

In the distance, Drye could see a mass of Czech BMPs advancing on his position. He radioed Battalion HQ, requesting artillery support. Drye waited for what seemed like a life time for the first spotting round to land. But once it came, the bombardment that followed inflicted a hail of destruction on the advancing BMPs. Still they kept coming.

Drye looked at his watch, still an hour and 45 minutes until relief. He sighed, then began barking orders to deal with the next wave.

3ÈME DIVISION BLINDÉE MILAN SECTION ANTICHAR

MILAN SECTION ANTICHAR

8x Milan missile team

4x VAB (TF111)

11 POINTS

6x Milan missile team

3x VAB (TF111)

8 POINTS

4x Milan missile team

2x VAB (TF111)

5 POINTS

• INFANTRY UNIT • INFRA-RED (IR) •

COURAGE 3+

MORALE 5+
RALLY 4+

SKILL 3+

ASSAULT 5+
COUNTERATTACK 4+

IS HIT ON

4+

INFANTRY SAVE

3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20CM	8"/20CM	12"/30CM	12"/30CM	AUTO

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
Milan missile team	8"/20CM- 36"/90CM	1	-	21	3+	Guided, HEAT

French VAB mounted infantry battalions have 24 Milan anti-tank guided missile systems available in support. Most are allocated out to the infantry units, but some are retained in the Section Antichar (Anti-tank Section) to provide a reserve or to be deployed in a concentrated group for anti-tank defence.





DIVISIONAL SUPPORT

3ÈME DIVISION BLINDÉE

VAB MEPHISTO PELOTON ANTICHAIR

VAB MEPHISTO PELOTON ANTICHAIR

4x VAB Mephisto

8 POINTS

2x VAB Mephisto

4 POINTS

The VAB Mephisto (VCAC - *Véhicule de Combat Anti-Char*) is an anti-tank vehicle that mounts the Franco-German HOT anti-tank guided missile system. This powerful wire-guided anti-tank missile is capable of knocking out any Warsaw Pact tank from outside the tank's effective gun range. MEPHISTO is an acronym for "Module Élévateur Panoramique HOT Installé Sur Tourelle Orientable" (Panoramic HOT Elevator Module Installed On Adjustable Turret), which describes the launcher the missiles are fired from. The missiles are mounted in an extendible turret, that can be withdrawn so that it is flush with the vehicle roof. The VAB Mephisto is based on the VAB 4x4 wheeled armoured personnel carrier. Four HOT missiles are carried ready to fire in the launcher turret and eight more missiles are carried in reserve in two four-round magazines inside the vehicle.

• TANK UNIT • AMPHIBIOUS • SCOUT • HAMMERHEAD • INFRA-RED (IR) •



COURAGE 3+

SKILL 3+

MORALE 5+
REMOUNT 4+

ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT

SIDE

TOP

2

2

0

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	12"/30CM	18"/45CM	48"/120CM	5+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
HOT missile	8"/20CM - 48"/120CM	1	-	23	3+	Guided, HEAT

Crew: 4 - commander, gunner,
observer/loader, driver

Weight: 13.3 tonnes

Length: 5.94m (19' 5.8")

Width: 2.49m (8' 2")

Height: Turret retracted

2.53m (8' 3.3")

Turret extended

3.27m (10' 8.7")

Armour: Protection against
small arms fire


Weapons: 4x HOT missile

Speed: 90 km/h (56 mph)

Engine: Renault MIDR 062045

164 kW (220 hp)

Range: 1000 km (621 miles)



3ÈME DIVISION BLINDÉE AMX AUF1 BATTERIE D'ARTILLERIE

AMX AUF1 BATTERIE D'ARTILLERIE

5x AMX AuF1

16 POINTS

4x AMX AuF1

12 POINTS

3x AMX AuF1

9 POINTS

In 1979, a new self-propelled 155mm howitzer entered service with the French army, the AMX AuF1. This new gun placed the new GIAT Industries GCT 155mm howitzer turret on the hull of the AMX-30 tank. The 155mm howitzer is fitted with an auto-loading system, giving it a sustained rate of fire of 6 rounds in 45 seconds, allowing it to lay down quick, devastating barrages.



• TANK UNIT •

COURAGE 3+

SKILL 3+

MORALE 5+
REMOUNT 4+

ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON 4+

FRONT

4

SIDE

2

TOP

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	14"/35cm	20"/50cm	24"/60cm	5+

WEAPON	RANGE	ROF HALTED MOVING		ANTI-TANK	FIRE-POWER	NOTES
155mm howitzer	104"/260CM	ARTILLERY		4	2+	Autoloader, Smoke Bombardment
or Direct fire	24"/60CM	1	1	15	1+	Brutal, Slow Firing, Smoke
12.7mm AA MG	20"/50CM	3	2	4	5+	

Crew: 4 - commander, gun-layer,
radio operator/loader, driver

Weight: 42 tonnes

Length: 10.25m (33' 7.5")

Width: 3.15m (10' 4")

Height: 3.25m (10' 8")

Armour: 20mm

Weapons: GCT 155 mm L/39 howitzer

1x 12.7mm MG

Speed: 60km/h (37 mph)

Engine: Hispano-Suiza HS-110 diesel
720 hp (536 kW)

Range: 450 km (280 miles)

3ÈME DIVISION BLINDÉE AMX-10P VOA VÉHICULE D'OBSERVATION

AMX-10P VOA VÉHICULE D'OBSERVATION

1x AMX-10P VOA

1 POINT

You must field:

• an AMX AuF1 Batterie d'Artillerie (TF115)
before you may field a AMX-10P VOA Véhicule
d'Observation.

For the role of artillery observation, the AMX-10P was modified as a mobile forward artillery observation post. The AMX-10P VOA turret is fitted with day and night observation equipment as well as additional equipment to communicate with the artillery. Armament consists of a 7.62mm machine-gun.

• INDEPENDENT TANK UNIT • AMPHIBIOUS • OBSERVER • SCOUT • INFRA-RED (IR) •



COURAGE 3+

SKILL 3+

MORALE 5+
REMOUNT 4+

ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT

2

SIDE

1

TOP

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	24"/60cm	32"/80cm	3+

WEAPON	RANGE	HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
7.62mm AA MG	16"/40cm	3	3	2	6	



3ÈME DIVISION BLINDÉE AMX ROLAND BATTERIE DE MISSILES SOL-AIR

AMX ROLAND BATTERIE DE MISSILES SOL-AIR


4x AMX Roland
2x AMX Roland

8 POINTS

4 POINTS

A Batterie de Missiles Sol-air (Surface-to-air Missile Battery) is equipped with the AMX Roland. This weapon system mounts the Franco-German Roland short-range surface-to-air missile (SAM) system on the modified hull of an AMX-30 tank. The AMX Roland provides tactical anti-aircraft protection to the armoured divisions.

The Roland system was designed to engage air targets flying at speeds of up to Mach 1.3 at altitudes between 20 metres and 5,500 metres. The Roland system can operate in optical or radar mode, seamlessly switching between these modes during an engagement.



• TANK UNIT • INFRA-RED (IR) •

COURAGE 3+

MORALE 5+
REMOUNT 4+

SKILL 3+

ASSAULT -
COUNTERATTACK -

IS HIT ON 4+

FRONT

5

SIDE

3

TOP

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	18"/45cm	28"/70cm	32"/80cm	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
Roland AA missile	56"/140cm	3	-	-	4+	Guided AA

Crew: 3 - commander,
operator, driver

Weight: 30 tonnes

Length: 6.65m (21' 10")

Width: 3.10m (10' 2")

Height: 4.45m (14' 7.2")

Armour: 30mm

Weapons: 2x Roland SAM launchers

Speed: 60 km/h (37 mph)

Engine: Hispano-Suiza HS-110 diesel

720 hp (536 kW)

Range: 600 km (370 miles)

3ÈME DIVISION BLINDÉE AMX-13 DCA PELOTON DE DÉFENSE ANTI-AÉRIEN

AMX-13 DCA PELOTON DE DÉFENSE ANTI-AÉRIEN

3x AMX-13 DCA

4 POINTS

The AMX-13 DCA (*Défense Contre les Avions*, Anti-aircraft Defence) was developed in the late 1960s to provide forward air defence for the tank regiments, though by the 1980s it had been moved to the air defence units at corps level alongside the AMX Roland SAM vehicle. The AMX-13 DCA is armed with two 30mm HS-831A autocannon mounted side by side at the front of the large two man turret. The guns can be fired semi-automatically or in bursts of 5 to 15 rounds. The AMX-13 DCA turret is fitted with a search and tracking radar that can detect aircraft and helicopters out to 12 km and at altitudes of up to 3km. This turret is mounted on the AMX-13 light tank chassis.



• TANK UNIT • INFRA-RED (IR) •

COURAGE 3+

MORALE 5+
REMOUNT 4+

SKILL 3+

ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT

1

SIDE

1

TOP

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	24"/60cm	28"/70cm	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
Twin 30mm AA gun	24"/60cm	5	3	7	5+	Dedicated AA, Radar

Crew: 3 - commander,
gunner, driver

Weight: 17.2 tonnes

Length: 5.4m (17' 8.5")

Width: 2.5m (8' 2.4")

Height: 3.8m (12' 5.6")

Armour: 10-40mm

Weapons: 2x 30mm HS-831A

autocannon

Speed: 60 km/h (37 mph)

Engine: SOFAM 8Gxb 8-cyl. petrol

250 hp (190 kW)

Range: 300 km (186 miles)

3ÈME DIVISION BLINDÉE

GAZELLE HOT PATROUILLE D'HÉLICOPTÈRES ANTICHAR

GAZELLE HOT PATROUILLE D'HÉLICOPTÈRES ANTICHAR

4x Gazelle HOT
2x Gazelle HOT

16 POINTS
8 POINTS

Like the West Germans, the French also mount their HOT anti-tank guided missile on helicopters. A Patrouille d'hélicoptères Antichar (Anti-tank Helicopter Patrol) consists of up to four SA342M Gazelle helicopters armed with four powerful Euromissile HOT missiles and a stabilised sight. The pilots of these light helicopters use the terrain to their advantage to get into position before launching their HOT missiles from a well-concealed ambush.

• HELICOPTER AIRCRAFT UNIT • HUNTER-KILLER •



COURAGE 3+	SKILL 3+
MORALE 4+	
IS HIT ON	AIRCRAFT SAVE
4+	5+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
UNLIMITED				AUTO

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
HOT missile	8"/20cm - 48"/120cm	1	-	23	3+	HEAT, Guided

Crew: 2 - pilot, gunner
Weight: 908 kg
Length: 11.97m (39')
Rotor: 10.5m (34' 6")

Weapons: 4x Euromissile HOT missiles
Armour: None
Speed: 310 Km/h (193 mph)

3ÈME DIVISION BLINDÉE

GAZELLE 20MM PATROUILLE D'HÉLICOPTÈRES D'ATTAQUE

GAZELLE 20MM PATROUILLE D'HÉLICOPTÈRES D'ATTAQUE

4x Gazelle 20mm
2x Gazelle 20mm

4 POINTS
2 POINTS

The French Army Light Aviation (ALAT) arm also field Gazelle helicopters in Attack Helicopter Patrols (Patrouille d'hélicoptères d'Attaque). These Gazelles are armed with a M621 20mm cannon and provide protection to the anti-tank flights, suppressing enemy anti-aircraft assets.

• HELICOPTER AIRCRAFT UNIT • GUN SLINGER •



COURAGE 3+	SKILL 3+
MORALE 4+	
IS HIT ON	AIRCRAFT SAVE
4+	5+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
UNLIMITED				AUTO

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
20mm gun	20"/50cm	3	-	6	5+	Anti-helicopter
or	8"/20cm	-	2	6	5+	Anti-helicopter

ARMÉE DE L'AIR

MIRAGE 5 PATROUILLE DE CHASSE

MIRAGE 5 PATROUILLE DE CHASSE

4x Mirage 5
2x Mirage 5

8 POINTS
4 POINTS

The Mirage 5 design re-tasked the successful Mirage III fighter into a ground attack role by changing its radar system for one more suited for targeting ground targets. The Mirage 5 fighter-bomber retained the 30mm twin DEFA autocannons of the Mirage III, but added two additional weapons pylons, for a total of seven. It could carry a variety of weapons loads, including BLG-66 Belouga cluster bombs containing anti-tank, fragmentation or time delayed 66mm submunitions.

• STRIKE AIRCRAFT UNIT •




COURAGE 3+	SKILL 3+
MORALE 4+	
IS HIT ON	AIRCRAFT SAVE
4+	5+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
UNLIMITED				AUTO

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
BLG-66 cluster bomb	6"/15cm	SALVO		8	3+	
30mm auto-cannon	8"/20cm	-	3	7	5+	Anti-helicopter

NETHERLANDS FORCES

4. DIVISIE



NETHERLANDS SPECIAL RULES

The Royal Netherlands Army has a number of features and weapons. These are reflected in the following special rules.

BAZOOKA SKIRTS

Leopard 1 tanks are fitted with 'bazooka skirts', spaced armour to protect them from light, hand-held anti-tank weapons.

Teams with Bazooka Skirts have Front and Side armour rating of 10 against HEAT weapons.

HAMMERHEAD

The YPR-765 PRAT mounts the same 'hammerhead' turret as the US M901 Improved Tow Vehicle. This allows it to remain concealed behind cover while shooting.

A Team with the Hammerhead rule can remain Gone to Ground while shooting Improved TOW missiles.

RADAR

Anti-aircraft radar on the PTRL makes tracking fast-moving aircraft much easier, especially at long range.


The Twin 35mm L/90 gun on a PTRL have a Range of 40"/100cm against aircraft and does not suffer the usual +1 penalty To Hit penalty for range over 16"/40cm when Shooting at Aircraft.

NETHERLANDS SUPPORT



WEST GERMAN SUPPORT

Rules for West German Formations and Units are found in FW906 Leopard and TY502 Panzertruppen.



NATO ALLIED SUPPORT

Often divisions from other NATO nations, such as West German divisions or British divisions in NORTHAG, fought alongside the divisions of the Netherlands 1. Korps.


You may take an Allied Formation as part of your Force. A NATO Allied Formation can be US, British, West German, Canadian, French, ANZAC (though not part of NATO, Australia and New Zealand are close US and British allies), or any other Force with a NATO Allied Formation in its support.

You may also take Allied Units listed in your Support as part of your Force.

An Allied Formation obeys all the rules for its own nationality. An Allied Formation Commander can only join Units in its own Formation or nation and only its Formation or national Units can benefit from its Command Leadership (see page 25 and 64 of *Team Yankee*).

An Allied Formation does not count as a Formation when determining if you have lost the game (see page 65 of *Team Yankee*).

4. DIVISIE LEOPARD 2 TANK ESKADRON



4. DIVISIE LEOPARD 2 TANK PELOTON

LEOPARD 2 TANK PELOTON	
4x Leopard 2	40 POINTS
3x Leopard 2	30 POINTS
2x Leopard 2	20 POINTS

The Royal Netherlands Army ordered 445 Leopard 2 tanks on 2 March 1979, making them the first export customer of the Leopard 2. Deliveries began in July 1981.

The minor differences between the Dutch Leopard 2NL and the West German Leopard 2A4 were that the Dutch version included locally produced equipment, FN MAG machine-guns and a passive night driving periscope.

4. DIVISIE

• TANK UNIT • CHOBHAM ARMOUR • THERMAL IMAGING •

COURAGE 4+ **SKILL 4+**
MORALE 4+ ASSAULT 4+
REMOUNT 3+ COUNTERATTACK 4+

IS HIT ON 4+
FRONT SIDE TOP
18 7 2

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
14"/35cm	20"/50cm	32"/80cm	32"/80cm	2+

WEAPON	RANGE	ROF HALTED	ROF MOVING	ANTI-TANK	FIRE-POWER	NOTES
120mm gun	40"/100cm	2	2	22	2+	Advanced Stabiliser, Laser Rangefinder
7.62mm AA MG	16"/40cm	3	3	2	6	
7.62mm MG	16"/40cm	1	1	2	6	

4. DIVISIE LEOPARD 1 TANK ESKADRON

4. DIVISIE



**LEOPARD 1
TANK ESKADRON HQ**
TNL110

1x Leopard 1 **3 POINTS**

• TANK FORMATION • BAZOOKA SKIRTS • INFRA-RED (IR) •




COURAGE 3+
MORALE 3+
REMOUNT 3+

SKILL 3+
ASSAULT 4+
COUNTERATTACK 3+

IS HIT ON 4+

FRONT	SIDE	TOP
 9	 5	 1

4. DIVISIE



**LEOPARD 1
TANK PELOTON**
TNL111

4. DIVISIE




**LEOPARD 1
TANK PELOTON**
TNL111

4. DIVISIE



**LEOPARD 1
TANK PELOTON**
TNL111

4. DIVISIE



**LEOPARD 1
TANK PELOTON**
TNL111

OR

4. DIVISIE



**YPR-765
PANTSERINFANTRIE
PELOTON**
TNL105

4. DIVISIE



**YPR-765 PRAT
ANTITANK PELOTON**
TNL106

4. DIVISIE



**PRTL
PANTSERLUCHTDOEL
PELOTON**
TNL109

4. DIVISIE



**M113 C&V
VERKENNINGS
PLOEG**
TNL113

4. DIVISIE LEOPARD 1 TANK PELOTON

LEOPARD 1 TANK PELOTON

4x Leopard 1 **12 POINTS**

3x Leopard 1 **9 POINTS**

The Leopard 1 has been in service with the Royal Army since 1969 and has recently undergone an upgrade program, beginning in 1983. The upgrade added a new fire-control system for the gunner, applied applique armour to the turret, and fitted side-skirt armour over the tracks. The upgraded model was designated the Leopard 1-V.

• TANK UNIT • BAZOOKA SKIRTS • INFRA-RED (IR) •



COURAGE 4+
MORALE 4+
REMOUNT 3+

SKILL 4+
ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON 4+

FRONT	SIDE	TOP
 9	 5	 1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	28"/70cm	32"/80cm	2+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
105mm gun	40"/100cm	2	2	19	2+	Laser Rangefinder, Smoke, Stabiliser
7.62mm AA MG	16"/40cm	3	3	2	6	
7.62mm MG	16"/40cm	1	1	2	6	

4. DIVISIE YPR-765 PANTSERINFANTERIE COMPAGNIE

4. DIVISIE



**YPR-765 PANTSERINFANTERIE
COMPAGNIE HQ**
TNL103

1x FAL rifle team
1x YPR-765 (TNL105)

1 POINT



COURAGE 3+

MORALE 3+
RALLY 3+

SKILL 3+

ASSAULT 4+
COUNTERATTACK 3+

IS HIT ON

4+

INFANTRY SAVE

3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20cm	8"/20cm	12"/30cm	12"/30cm	AUTO

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
FAL rifle team	16"/40cm	1	1	2	6	

4. DIVISIE




**YPR-765
PANTSERINFANTERIE
PELTON**
TNL104

4. DIVISIE



**YPR-765
PANTSERINFANTERIE
PELTON**
TNL104


4. DIVISIE



**YPR-765
PANTSERINFANTERIE
PELTON**
TNL104

OR

4. DIVISIE



**LEOPARD 2
TANK PELTON**
TNL102

OR

4. DIVISIE



**LEOPARD 1
TANK PELTON**
TNL111

4. DIVISIE



**YPR-765 PRAT
ANTITANK PELTON**
TNL106

4. DIVISIE



**M106 120MM
MORTIER PELTON**
TNL107

4. DIVISIE



**M113 C&V
VERKENNINGS
PLOEG**
TNL113

4. DIVISIE



**PRTL
PANTSERLUCHTDOEL
PELTON**
TNL109



NETHERLANDS FORCES

4. DIVISIE YPR-765 PANTSERINFANTERIE PELOTON

YPR-765 PANTSERINFANTERIE PELOTON

- 4x GPMG team with M72 anti-tank
- 3x Carl Gustav anti-tank team
- 2x M47 Dragon missile team
- 4x YPR-765 (TNL105)

9 POINTS

- 3x GPMG team with M72 anti-tank
- 2x Carl Gustav anti-tank team
- 2x M47 Dragon missile team
- 3x YPR-765 (TNL105)

7 POINTS

Each armoured infantry platoon (*pantserinfanterie peloton*) is made up of four groups. The platoon command group is mounted in a YPR-765 PRI armoured infantry fighting vehicle and has one 7.62mm FN MAG GPMG and two M47 Dragon anti-tank guided missile systems. The three infantry groups (designated A, B and C), each mounted in a YPR-765 PRI, are equipped with one 7.62mm FN MAG GPMG and one Carl Gustav 84mm anti-tank weapon. Equipment also includes disposable M72 LAW 66mm anti-tank rockets.

The YPR-765 PRI (*pantser-rups-infanterie*, or armoured tracked infantry) is the basic armoured infantry fighting vehicle fitted with a turret mounting a 25mm KBA-B02 cannon and a coaxial 7.62mm FN MAG machine-gun. It has a crew of three and can carry seven passengers in the rear compartment.

• INFANTRY UNIT •

COURAGE 4+
MORALE 4+
RALLY 4+

SKILL 4+
ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON
4+

INFANTRY SAVE
3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20CM	8"/20CM	12"/30CM	12"/30CM	AUTO

WEAPON	RANGE	HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
GPMG team or M72 anti-tank	16"/40CM 12"/30CM	3 1	2 1	2 12	6 5+	HEAT, Slow Firing
Carl Gustav anti-tank team	16"/40CM	1	1	17	3+	Assault 5, HEAT, Slow Firing
M47 Dragon missile	8"/20CM-28"/70CM	1	-	18	3+	Assault 5, Guided, HEAT, Thermal Imaging

4. DIVISIE YPR-765 TRANSPORT

• TANK ATTACHMENT • AMPHIBIOUS • INFRA-RED (IR) • PASSENGERS 3 •

COURAGE 4+
MORALE 4+
REMOUNT 4+

SKILL 4+
ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT 3 **SIDE** 2 **TOP** 1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	28"/70CM	3+

WEAPON	RANGE	HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
25mm gun	28"/70CM	3	2	8	5+	Anti-helicopter
7.62mm MG	16"/40CM	3	3	2	6	

Crew: 3 - commander, gunner, driver
+ 7 passengers

Weight: 13.7 tonnes

Length: 5.258m (17' 3")

Width: 2.819m (9' 3")

Height: 2.54m (8' 4")

Armour: Protection against small arms fire + spaced armour

Weapons: Oerlikon Contraves 25mm
KBA-B02 Gun
1x coaxial FN-MAG 7.62mm
Speed: 61 km/h (38 mph)
Engine: Detroit Diesel Allison 6V-53T
267 hp (195 kW)
Range: 490 km (305 miles)



4. DIVISIE YPR-765 PRAT ANTITANK PELOTON

YPR-765 PRAT ANTITANK PELOTON

4x YPR-765 PRAT

6 POINTS

2x YPR-765 PRAT

3 POINTS

The YPR-765 PRAT (*pantser-rups-antitank*) tank destroyer is armed with an Emerson TOW Under Armor turret, as found on the US M901 ITV. It is additionally armed with a 7.62mm FN MAG machine-gun on a pintle mount. It has a crew of four and the rear compartment holds a rack with missile reloads on the left, an inward-facing bench seat and various equipment on the right.

The battalions support company contains three YPR-765 PRAT anti-tank platoons (*antitank peloton*), each with four vehicles. These are allocated out one to each armoured infantry company.

• TANK UNIT • AMPHIBIOUS • HAMMERHEAD • THERMAL IMAGING •



COURAGE 4+

SKILL 4+

MORALE 4+
REMOUNT 4+

ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT
3

SIDE
2

TOP
1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	24"/60cm	28"/70cm	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
Improved TOW missile	8"/20cm - 48"/120cm	1	-	21	3+	HEAT, Guided
7.62mm AA MG	16"/40cm	3	3	2	6	



4. DIVISIE M106 120MM MORTIER PELOTON

M106 120MM MORTIER PELOTON

3x M106 120mm

3 POINTS

2x M106 120mm

2 POINTS

In peace time, the Dutch 120mm mortars are towed by YPR-765 PRMR mortar tractors. As the chance of war became likely, the Dutch government purchased more M106 mortar carriers from the FMC corporation and converted them to carry their MO-120-RT 120mm mortars. This allows the mortars to fire from armoured protection.

A platoon consists of three 120mm mortars. Each battalion has three mortar platoons available, one to support each company.

• TANK UNIT • AMPHIBIOUS •



COURAGE 4+

SKILL 4+

MORALE 4+
REMOUNT 4+

ASSAULT 6
COUNTERATTACK 6

IS HIT ON 4+

FRONT
3

SIDE
2

TOP
0

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	24"/60cm	28"/70cm	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
120mm mortar	64"/160cm	ARTILLERY		3	3+	Smoke Bombardment.
7.62mm AA MG	16"/40cm	3	3	2	6	

4. DIVISIE PRTL PANTSERLUCHTDOEL PELOTON

PRTL PANTSERLUCHTDOEL PELOTON

3x PRTL
2x PRTL

6 POINTS

4 POINTS

If a force contains a PRTL Pantserluchtdoel Peloton, it may also take a Stinger Luchtdoel Peloton (TNL115).

The PRTL Pantserluchtdoel Peloton (PRTL anti-aircraft platoon) is armed with the Dutch version of the West German Gepard, known as the PRTL (*pantser-rups-tegen-luchtdoelen*, translating to 'armour track against air targets'). PRTL is pronounced by the Dutch soldiers as 'pruttel' (meaning 'to splutter'). The PRTL features the same 35mm Oerlikon KDA autocannons as the German Gepard, but has locally produced smoke grenade dischargers and a different radar suite. It can be identified by its bar type search radar on the turret rear.



TANK UNIT • INFRA-RED (IR) •

COURAGE 4+

MORALE 4+
REMOUNT 4+

SKILL 4+

ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT

3

SIDE

2

TOP

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	28"/70cm	32"/80cm	2+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
Twin 35mm gun	28"/70cm	5	4	11	4+	Dedicated AA, Radar

Crew: 3 - commander, gunner, driver
Weight: 47.5 tonnes
Length: 7.68m (25'2")
Width: 3.71m (12'2")
Height: 3.29m (10'10")
Radar retracted
Weapons: Twin Oerlikon KDA

35mm L/90 Gun
Armour: Steel 30mm
Speed: 65 km/h (40 mph)
Engine: MTU MB 838 CaM 500,
10-cylinder, multi-fuel engine,
819 hp (610 kW)
Range: 550 km (340 miles)

4. DIVISIE STINGER LUCHTDOEL PELOTON

STINGER LUCHTDOEL PELOTON

3x Stinger team
2x Stinger team

5 POINTS

3 POINTS

If your force contains a PRTL Pantserluchtdoel Peloton (TNL109) you may take one Stinger Luchtdoel Peloton for each PRTL Pantserluchtdoel Peloton (TNL109).

The number of Stinger teams in the Stinger Luchtdoel Peloton must not exceed the number of PRTL tanks in your PRTL Pantserluchtdoel Peloton.

An armoured anti-aircraft artillery platoon, as well as being equipped with PRTL anti-aircraft tanks, also has three FIM-92 Stinger man-portable air defence systems, each with six missiles, for additional anti-aircraft cover. These men, along with the replacement group with three extra

• INFANTRY ATTACHMENT • HEAVY WEAPON •

COURAGE 4+

MORALE 4+
RALLY 4+

SKILL 4+

ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON

4+

INFANTRY SAVE

3+



TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20cm	8"/20cm	12"/30cm	12"/30cm	AUTO

WEAPON	RANGE	HALTED	ROF	MOVING	ANTI-TANK	FIRE-POWER	NOTES
Stinger team	48"/120cm	3	-	-	-	4+	Guided AA

PRTL crews, enables the anti-aircraft platoon to maintain operational readiness around the clock through crew rotations. Crews currently not manning the PRTL anti-aircraft tanks are trained to use the Stinger systems for additional air defence.



4. DIVISIE VERKENNINGS ESKADRON

4. DIVISIE



VERKENNINGS ESKADRON HQ
TNL112

1x M113 C&V

1 POINT

• TANK FORMATION • AMPHIBIOUS • SPEARHEAD • SCOUT • INFRA-RED (IR) •

COURAGE 3+
MORALE 3+
REMOUNT 4+

SKILL 3+
ASSAULT 5+
COUNTERATTACK 4+

IS HIT ON 4+

FRONT  **3**


SIDE  **2**

TOP  **1**



TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	24"/60cm	32"/80cm	3+

WEAPON	HALTED	MOVING	ANTI-TANK	FIRE-POWER
25mm gun	28"/70cm	3	2	8 5+ Anti-helicopter



You must select one type of Leopard Verkenning Peloton in your Verkenning Eskadron. All Leopard Verkenning Pelotons must be of the same type, either Leopard 1 Verkenning Peloton (TNL117), Leopard 2 Verkenning Peloton (TNL116).



4. DIVISIE M113 C&V VERKENNINGS PLOEG

M113 C&V VERKENNINGS PLOEG

2x M113 C&V

2 POINTS

The M113 C&V (*Commando & Verkenning*) used by the Dutch reconnaissance troops has the same origins as the Canadian Lynx. However, in the 1970s M113 C&V had its machine-gun cupola replaced with a Oerlikon-Bührle GBD-ADA turret fitted with a 25mm KBA cannon. The 25mm cannon allows them to suppress an enemy position before making their escape.

• TANK • AMPHIBIOUS • SPEARHEAD • SCOUT • INFRA-RED (IR) •



COURAGE 4+

SKILL 4+

MORALE 4+
REMOUNT 4+

ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT

SIDE

TOP

3

2

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	24"/60cm	32"/80cm	3+

WEAPON	RANGE	HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
25mm gun	28"/70cm	3	2	8	5+	Anti-helicopter

Crew: 3 - commander, observer/radio operator, driver

Weapons: 25mm KBA-B02 autocannon in GBD-ADA turret

Weight: 9 tonnes

Speed: 67 km/h (41 mph) on road,

Length: 4.8m (15' 9")

6.5 km/h (4 mph) in water

Width: 2.27m (7' 5.33")

Engine: GMC 6V53 6-cylinder diesel,

Height: 2.73m (8' 11.5")

215 hp at 2.800 rpm

Armour: Aluminum, 19 to 44 mm

Range: 460 km (373 miles)

4. DIVISIE LEOPARD 2 VERKENNINGS TANK PELOTON

LEOPARD 2 VERKENNINGS TANK PELOTON

2x Leopard 2

20 POINTS

The new Leopard 2 tanks of the 103 *Verkenningbataljon* (103rd Reconnaissance Battalion) provide their reconnaissance squadrons with powerful fire support. Its 120mm main gun easily knocks out any Warsaw Pact vehicle, and once their tanks start to explode, they may reconsider the direction of their advance. The combat power the of the Leopard 2 is more than enough to stall the enemy and buy time to reposition other units to establish new delaying positions.

• TANK UNIT • CHOBHAM ARMOUR • THERMAL IMAGING •



COURAGE 4+

SKILL 4+

MORALE 4+
REMOUNT 3+

ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON 4+

FRONT

SIDE

TOP

18

7

2

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
14"/35cm	20"/50cm	32"/80cm	32"/80cm	2+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
120mm gun	40"/100cm	2	2	22	2+	Advanced Stabiliser, Laser Rangefinder
7.62mm AA MG	16"/40cm	3	3	2	6	
7.62mm MG	16"/40cm	1	1	2	6	

4. DIVISIE LEOPARD 1 VERKENNINGS TANK PELOTON

LEOPARD 1 VERKENNINGS TANK PELOTON

2x Leopard 1

6 POINTS

The 2nd and 4th Reconnaissance Battalions were equipped with Leopard 1 tanks. These had just undergone an upgrade program and their 105mm gun is more than capable of knocking out most Warsaw Pact tanks, let alone any of their light reconnaissance vehicles.

• TANK UNIT • BAZOOKA SKIRTS • INFRA-RED (IR) •



COURAGE 4+

SKILL 4+

MORALE 4+
REMOUNT 3+

ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON 4+

FRONT

SIDE

TOP

9

5

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	28"/70cm	32"/80cm	2+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
105mm gun	40"/100cm	2	2	19	2+	Laser Rangefinder, Smoke, Stabiliser
7.62mm AA MG	16"/40cm	3	3	2	6	
7.62mm MG	16"/40cm	1	1	2	6	

4. DIVISIE M106 MORTIER PELOTON

M106 MORTIER PELOTON

3x M106

2 POINTS

The M106 107mm heavy mortars provide fire support for the operations of the Verkenning Eskadron. Whether it's disrupting enemy movement, supporting delaying attacks, or screening a withdrawal with smoke, the M106s and their crews stand ready to play their role.

• TANK UNIT • AMPHIBIOUS •



COURAGE 4+

MORALE 4+
REMOUNT 4+

SKILL 4+

ASSAULT 6
COUNTERATTACK 6

IS HIT ON 4+

FRONT

SIDE

TOP

3

2

0

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	24"/60cm	32"/80cm	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
107mm mortar	48"/120cm	ARTILLERY		2	4+	Smoke Bombardment
.50 cal AA MG	20"/50cm	3	2	4	5+	

4. DIVISIE M113 TIRAILLEUR PELOTON

M113 TIRAILLEUR PELOTON

4x GPMG team with M72 anti-tank

3x Carl Gustav anti-tank team

3x M113 (TNL120)

6 POINTS

3x GPMG team with M72 anti-tank

2x Carl Gustav anti-tank team

2x M113 (TNL120)

4 POINTS

The Tirailleur (light infantry) are used to hold terrain when required and provide security for the rest of the squadron. They are mounted in M113 APCs to allow them to keep pace with the M113 C&Vs and tanks. Though they don't have the Dragon anti-tank missiles of the Pantserinfanterie, they still have their Carl Gustav anti-tank weapons and the close support of the Verkenning Eskadron's main battle tanks to fend off enemy armour.

• INFANTRY UNIT •



COURAGE 4+

MORALE 4+
RALLY 4+

SKILL 4+

ASSAULT 4+
COUNTERATTACK 4+

IS HIT ON

4+

INFANTRY SAVE

3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20cm	8"/20cm	12"/30cm	12"/30cm	AUTO

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
GPMG team or M72 anti-tank	16"/40cm 12"/30cm	3 1	2 1	2 12	6 5+	HEAT, Slow Firing
Carl Gustav anti-tank team	16"/40cm	1	1	17	3+	Assault 5, HEAT, Slow Firing

4. DIVISIE M113 TRANSPORT

• TANK ATTACHMENT • AMPHIBIOUS • PASSENGERS 3 •



COURAGE 4+

MORALE 4+
REMOUNT 4+

SKILL 4+

ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT

SIDE

TOP


3

2

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	24"/60cm	32"/80cm	3+

WEAPON	RANGE	HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
.50 cal AA MG	20"/50cm	3	2	4	5+	



DIVISIONAL SUPPORT

4. DIVISIE M109 VELDARTILLERIE BATTERIJ

M109 VELDARTILLERIE BATTERIJ

6x M109


14 POINTS

3x M109

7 POINTS

Like many nations in NATO, the Royal Netherlands Army fields the American M109 self-propelled 155mm howitzer to provide their artillery support. A Veldartillerie Batterij (Field Artillery Battery) consists of a command group, six M109A2 or A3 self-propelled 155mm howitzers, and an ammunition group.

In a war situation, a field artillery battalion, with three field batteries, is attached to each armoured infantry or armoured brigade.



• TANK UNIT •

COURAGE 4+

SKILL 4+

MORALE 4+
REMOUNT 4+

ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT

2

SIDE

2

TOP

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	28"/70CM	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
155mm howitzer	96"/240CM	ARTILLERY		4	2+	Smoke Bombardment
or Direct fire	24"/60CM	1	1	15	1+	Brutal, Slow Firing, Smoke
.50 cal AA MG	20"/50CM	3	2	4	5+	

Crew: 6 – commander, 2x gunner, 2x loader, driver

Weapons: M185 155mm howitzer
M2 HB .50 cal MG

Weight: 25 tonnes

Armour: 20mm

Length: 9.1m (30')

Speed: 54 km/h (34 mph)

Width: 3.15m (10' 4")

Engine: 8V71T diesel 336 kW (450 hp)

Height: 3.25m (10' 8")

Range: 350 km (215 miles)

4. DIVISIE YPR-765 OP

YPR-765 OP

1x YPR-765 OP

1 POINT

You must field:

- a M109 Veldartillerie Batterij (TNL108)
- a M106 120mm Mortier Peloton (TNL124)

before you may field a YPR-765 OP.

Each field artillery battalion had nine forward observation groups. A forward observer is mounted in a YPR-765 PRCO (*pantser-rups-commando*, or command armoured track) with a .50-cal M2 HB machine-gun on a cupola. In its rear compartment the YPR-765 PRCO is fitted with a folding table and two inward-facing seats.

• INDEPENDENT TANK UNIT • AMPHIBIOUS • OBSERVER • SCOUT • INFRA-RED (IR) •



COURAGE 4+

SKILL 4+

MORALE 4+
REMOUNT 4+

ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT

3

SIDE

2

TOP

1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	28"/70CM	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
.50 cal AA MG	20"/50CM	3	2	4	5+	



NETHERLANDS FORCES


AUSTRALIAN AND NEW ZEALAND FORCES

ANZAC BRIGADE

COMBAT TEAM


1ST ARMoured REGIMENT

ANZAC BRIGADE
LEOPARD AS1
ARMoured SQUADRON
TAU101



5TH/7TH BATTALION, ROYAL AUSTRALIAN REGIMENT

ANZAC BRIGADE
M113 MECHANISED
COMPANY
TAU103



NATO ALLIED FORMATION

ALLIED FORMATION
YOU MAY FIELD ONE
NATO FORMATION
AS AN ALLIED
FORMATION



BRIGADE SUPPORT

5TH/7TH BATTALION, ROYAL AUSTRALIAN REGIMENT

ANZAC BRIGADE
ANTI-TANK
LAND ROVER SECTION
TAU108



111TH DIVISIONAL AIR DEFENCE BATTERY (LIGHT)

ANZAC BRIGADE
REDEYE
SAM SECTION
TAU113



NEW ZEALAND QUEEN ALEXANDRA SQUADRON

ANZAC BRIGADE
SCORPION
ARMoured TROOP
TNZ102



ANZAC SPECIAL RULES

The armies of Australia and New Zealand have a number of features and weapons. These are reflected in the following special rules.

BAZOOKA SKIRTS

Leopard 1 tanks are fitted with 'bazooka skirts', spaced armour to protect them from light, hand-held anti-tank weapons.

Teams with Bazooka Skirts have Front and Side armour rating of 10 against HEAT weapons.


SNEAK AND PEEK

The Scorpion is designed to find the enemy, not fight them. If it comes to a scrap, they prefer a quick ambush and an equally quick departure. As the tank commander also doubles as the main gun's loader, it is tricky to manoeuvre when firing the main gun, so the gunner can only fire the co-ax machine-gun when advancing at speed.

A tank with Sneak and Peek can move 10"/25cm at Tactical speed if it is not firing its main gun.

SUPPORT

BRITISH SUPPORT



Rules for British Formations and Units are found in FW907 Iron Maiden.

NATO ALLIED SUPPORT

Often divisions from other NATO nations, such as Dutch divisions or British divisions in NORTHAG, fought alongside the Australian and New Zealand ANZAC Brigade.

You may take an Allied Formation as part of your Force. A NATO Allied Formation can be US, British, West German, Canadian, French, or Dutch, or any other Force with a NATO Allied Formation in its support.

You may also take Allied Units listed in your Support as part of your Force.

An Allied Formation obeys all the rules for its own nationality. An Allied Formation Commander can only join Units in its own Formation or nation and only its Formation or national Units can benefit from its Command Leadership (see page 25 and 64 of *Team Yankee*).

An Allied Formation does not count as a Formation when determining if you have lost the game (see page 65 of *Team Yankee*).



LEOPARD AS1 ARMoured SQUADRON

ANZAC BRIGADE

• TANK FORMATION • BAZOOKA SKIRTS • INFRA-RED (IR) •

ANZAC BRIGADE

LEOPARD AS1
ARMoured SQUADRON HQ

TAU101

2x Leopard AS1

7 POINTS

1x Leopard AS1

4 POINTS



COURAGE 2+

MORALE 3+
REMOUNT 3+

SKILL 2+

ASSAULT 3+
COUNTERATTACK 3+

IS HIT ON 4+

FRONT



9

SIDE



5

TOP



1

ANZAC BRIGADE

LEOPARD AS1
ARMoured TROOP

TAU102

ANZAC BRIGADE

LEOPARD AS1
ARMoured TROOP

TAU102

OR

ANZAC BRIGADE

M113
MECHANISED
PLATOON

TAU104

ANZAC BRIGADE

M113
CAVALRY TROOP

TAU111

ANZAC BRIGADE

LEOPARD AS1
ARMoured TROOP

TAU102

ANZAC BRIGADE

LEOPARD AS1
ARMoured TROOP

TAU102

AUSTRALIAN FORCES



LEOPARD AS1 ARMoured TROOP

LEOPARD AS1 ARMoured TROOP

4x Leopard AS1 **13 POINTS**

3x Leopard AS1 **10 POINTS**

1 Armoured Regiment, Royal Australian Armoured Corps had transitioned in 1976 from the British Centurion to the Leopard 1A3, known locally as the AS1. Exhaustive trials focussed on mobility and firepower rather than the thicker armour of the competing US M60. These formidable German 'sports cars' are organised in troops of three main battle tanks in peacetime, in wartime this grows to four.

Australian Armoured Troops had trained previously on exchange with their counterparts in NATO, particularly BAOR and the Bundeswehr. Unlike their NATO brethren, Aussie tankers focus heavily on infantry support and always carry some 'splintex', as their canister rounds are nicknamed.

• TANK UNIT • BAZOOKA SKIRTS • INFRA-RED (IR) •



COURAGE 3+ **SKILL 3+**
MORALE 4+ **ASSAULT 3+**
REMOUNT 3+ **COUNTERATTACK 4+**

IS HIT ON 4+

FRONT	SIDE	TOP
9	5	1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	28"/70cm	32"/80cm	2+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
105mm gun	40"/100cm	2	2	19	2+	Brutal, Laser Rangefinder, Smoke, Stabiliser
7.62mm AA MG	16"/40cm	3	3	2	6	
7.62mm MG	16"/40cm	1	1	2	6	

Crew: 4 - commander, gunner, loader, driver
Weight: 42.2 tonnes
Length: 9.54m (31'3.5")
Width: 3.37m (11'0.5")
Height: 2.7m (8'10")
Armour: Steel 19-21.7mm and 10-70 mm RHA

Weapons: 105mm Royal Ordnance L7A3 L/52 rifled gun
 2x MG3 7.62mm MG
Speed: 65 km/h (46 mph)
Engine: MTU MB 838 CaM 500, 10-cylinder, multi-fuel engine, 819 hp (610 kW)
Range: 600 km (373 miles)

M113 CAVALRY TROOP

M113 CAVALRY TROOP

4x M113 LRV **5 POINTS**

1x M113 MRV (TAU112) **4 POINTS**

3x M113 LRV **4 POINTS**

1x M113 MRV (TAU112) **3 POINTS**

As the eyes and ears of the 1st Brigade, 2 Cavalry Regiment's Troops of M113 LRV (Light Reconnaissance Vehicle) and MRV (Medium Reconnaissance Vehicle) are the tip of the spear. Backing up the lighter M113 LRV, the M113 MRV is the direct descendant of the Saladin turreted FSV (Fire Support Vehicle). Now using the improved Scorpion turret, the 'Beast', as it is known, provides heavy fire support when needed. Surprisingly, the vehicles somehow maintain their amphibious capability despite most them being older than their crews!

The descendants of the Australian Light Horse Regiments of the First World War are ready to follow their grandfathers back to Europe!

• TANK UNIT • AMPHIBIOUS • SCOUT • SPEARHEAD • INFRA-RED (IR) •



COURAGE 3+ **SKILL 3+**
MORALE 4+ **ASSAULT 4+**
REMOUNT 4+ **COUNTERATTACK 5+**

IS HIT ON 4+


FRONT	SIDE	TOP
3	2	1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	24"/60cm	32"/80cm	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
M113 LRV with .50 cal MG	20"/50cm	3	2	4	5+	
M113 LRV with 7.62mm MG	16"/40cm	1	1	2	6	

M113 MRV

• TANK • AMPHIBIOUS • SCOUT • SPEARHEAD • INFRA-RED (IR) •



COURAGE 3+ **SKILL 3+**
MORALE 4+ **ASSAULT 4+**
REMOUNT 4+ **COUNTERATTACK 5+**

IS HIT ON 4+

FRONT	SIDE	TOP
3	2	1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
6"/15cm	16"/40cm	24"/60cm	32"/80cm	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
76mm gun	24"/60cm	2	1	14	2+	Brutal, HEAT, Smoke, Sneak and Peek
7.62mm MG	16"/40cm	3	3	2	6	



ANZAC BRIGADE M113 MECHANISED COMPANY

ANZAC BRIGADE



**M113
MECHANISED COMPANY HQ**
TAU103

1x SLR rifle team
1x M113 (T50 turret) (TAU105)

1 POINT

• INFANTRY FORMATION • HQ TRANSPORT • INFRA-RED (IR) •



COURAGE 2+

MORALE 3+
RALLY 3+

SKILL 2+

ASSAULT 4+
COUNTERATTACK 2+

IS HIT ON

4+

INFANTRY SAVE

3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20cm	8"/20cm	12"/30cm	12"/30cm	AUTO

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
SLR rifle team	16"/40cm	1	1	2	6	

ANZAC BRIGADE

**M113 MECHANISED
PLATOON**
TAU104

ANZAC BRIGADE

**M113 MECHANISED
PLATOON**
TAU104

ANZAC BRIGADE

**M113 MECHANISED
PLATOON**
TAU104

OR

ANZAC BRIGADE

**LEOPARD AS1
ARMOURED TROOP**
TAU102

ANZAC BRIGADE

**M125
MORTAR PLATOON**
TAU106

ANZAC BRIGADE

**M113
CAVALRY TROOP**
TAU111

ANZAC BRIGADE

**MILAN
ANTI-TANK SECTION**
TAU109

ANZAC BRIGADE M113 MECHANISED PLATOON

M113 MECHANISED PLATOON

- 4x M60 team with LAW anti-tank
- 3x Carl Gustav anti-tank team
- 4x M113 (T50 turret) (TAU105) **7 POINTS**

- 3x M60 team with LAW anti-tank
- 2x Carl Gustav anti-tank team
- 3x M113 (T50 turret) (TAU105) **5 POINTS**

The 5/7th Battalion, Royal Australian Regiment is the only mechanised battalion in the Australian Army and is the largest mechanised battalion in the world at this time. The battalion is made up of four rifle companies, totalling twelve infantry platoons, an admin company and a support company with anti-tank, assault pioneer, machine-gun and sniper platoons. Each rifle platoon is armed with three M203 grenade launchers, six M16 assault rifles, three Carl Gustav, four M60 GPMG (General Purpose Machine-guns) and 18 SLR (Self-loading Rifles), along with M72 LAW



• INFANTRY UNIT • INFRA-RED (IR) •

COURAGE 3+ **SKILL 3+**
MORALE 4+ ASSAULT 4+
RALLY 4+ COUNTERATTACK 3+

IS HIT ON **INFANTRY SAVE**
4+ **3+**

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20CM	8"/20CM	12"/30CM	12"/30CM	AUTO

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
M60 team or LAW anti-tank	16"/40CM 12"/30CM	3 1	2 1	2 12	5+ 5+	HEAT, Slow Firing
Carl Gustav anti-tank team	16"/40CM	1	1	17	3+	HEAT, Slow Firing

(Light Anti-armour Weapon), or SRAAW (Short Range Anti Armour Weapon) as they are called in the Australian Army. These are organised as a headquarters with the platoon commander, sergeant, and two rifle-men, along with three sections of nine 'Diggers'. In practice, each rifle section consists of a command group with MDFSW (Medium Direct Fire Support Weapon, or 84mm Carl Gustav anti-tank weapon) and a 'Gun Group' with an M60 GPMG. Only in wartime would there be so many Carl Gustavs, the 'Charly Gutsache' as the troops call it affectionately, are limited to two per company in peacetime!

ANZAC BRIGADE M113 (T50 TURRET) TRANSPORT

M113 (T50 TURRET) TRANSPORT

Transport Attachment to:
M113 Mechanised Platoon (TAU104),
or Milan Anti-tank Section (TAU109).

Affectionately known as the 'Bucket', the M113 provides the 'Diggers' with fire support from a combination of .50 cal M2 and .30 cal M1919 Browning machine-guns in a T50 Cadillac Gage one man turret — fantastic right until you need to clear a jam from these potent but old weapons. The only improvement over the original Vietnam era vehicles is the addition of a bolted-on passive night vision periscope in place of the existing periscope.

• TANK ATTACHMENT • AMPHIBIOUS • INFRA-RED (IR) • PASSENGERS 3 •



COURAGE 3+ **SKILL 3+**
MORALE 4+ ASSAULT 5+
REMOUNT 4+ COUNTERATTACK 5+

IS HIT ON 4+
FRONT **SIDE** **TOP**
3 **2** **1**


TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	32"/80CM	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI-TANK	FIRE-POWER	NOTES
.50 cal MG	20"/50CM	3	2	4	5+	
7.62mm MG	16"/40CM	1	1	2	6	

Crew: 2 - commander, driver
+ 11 passengers

Weight: 12 tonnes
Length: 4.86m (16')
Width: 2.69m (8' 10")
Height: 2.41m (7' 11")
Armour: 38mm Aluminium

Weapons: 1x .50 cal M2HB MG
1x .30 cal L3A3 MG
Speed: 68 km/h (42 mph)
Engine: Detroit Diesel 6V53T,
6-cylinder diesel engine
275 hp (205 kW)
Range: 483 km (300 miles)



ANZAC BRIGADE

M125 MORTAR PLATOON

M125 MORTAR PLATOON

6x M125
4x M125
2x M125

5 POINTS
3 POINTS
1 POINTS

Mortars provide extremely fast fire support and the US-made M125 is a popular choice to provide the 'Diggers' with relief when under 'red' attack. Whether it be smoke on demand, illumination at night, or highly accurate HE, the boys of the 'Mortar Tracks' get rounds downrange as needed, pronto.

• TANK UNIT • AMPHIBIOUS •



COURAGE 3+
MORALE 4+
REMOUNT 4+

SKILL 3+
ASSAULT -
COUNTERATTACK -

IS HIT ON 4+

FRONT

SIDE

TOP

3

2

0

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25cm	16"/40cm	24"/60cm	32"/80cm	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
81mm mortar	56"/140cm	ARTILLERY	1	4+	4+	Smoke Bombardment
.50 cal AA MG	20"/50cm	3	2	4	5+	



ANZAC BRIGADE

MILAN ANTI-TANK SECTION

MILAN ANTI-TANK SECTION

4x Milan Missile team
4x M113 (T50 turret) [TAU105]

6 POINTS

2x Milan Missile team
2x M113 (T50 turret) [TAU105]

3 POINTS

Despite the Australian Defence Force being an early adopter of missiles such as the ENTAC (a French ATGM adopted in the 1960s), the Milan missile system hasn't entirely replaced the 106mm Recoilless. Its heavy weight has meant that cavalry and mounted units are the main users of this system. Crews prefer to operate near vehicles rather than manually carrying reloads.

• INFANTRY UNIT • INFRA-RED (IR) •



COURAGE 3+
MORALE 4+
RALLY 4+


SKILL 3+
ASSAULT 5+
COUNTERATTACK -

IS HIT ON 4+

INFANTRY SAVE 3+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
8"/20cm	8"/20cm	12"/30cm	12"/30cm	AUTO

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
Milan missile team	8"/20cm - 36"/90cm	1	-	21	3+	Guided, HEAT



BRIGADE SUPPORT

ANZAC BRIGADE

ANTI-TANK LAND ROVER SECTION

ANTI-TANK LAND ROVER SECTION

4x Anti-tank Land Rover

4 POINTS

2x Anti-tank Land Rover

2 POINTS

The 106mm Recoilless on a Short Wheel Base Landrover 88 has seen extensive Aussie service, being useful as both an anti-bunker, as well as an anti-tank, weapon. The 'Gun Buggy' provides a potent weapon that is lethal against both medium and light armour. The dual purpose HEP-T (High Explosive Plastic-Tracer) rounds are especially prized for their bunkerbusting abilities by the more creative 'Diggers'. An ideal weapon for an ambush.

• UNARMoured TANK UNIT • SCOUT • RECOILLESS •



COURAGE 3+

MORALE 4+
RALLY 4+

SKILL 3+

ASSAULT -
COUNTERATTACK -

IS HIT ON


4+

TANK SAVE

4+

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
6"/15cm	12"/30cm	20"/50cm	48"/120cm	4+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
106mm recoilless rifle	24"/60CM	1	1	17	2+	Accurate, Brutal, HEAT, Slow Firing



AUSTRALIAN FORCES

ANZAC BRIGADE M113 REDEYE SAM SECTION

REDEYE SAM SECTION

2x M113 Redeye

2 POINTS

The 'tail-chaser' missile teams of 111th Divisional Air Defence Battery (Light), 16 Air Defence Regiment, provide close range anti-aircraft protection at the forward edge of the battle area. As the only light battery, the rest of the Regiment enjoys life in the rear with static Rapier systems. The best, fittest, and most agile Air Defence Gunners carry the highly mobile Redeye Missile in close support with the 'Diggers'.

• TANK UNIT • AMPHIBIOUS •



COURAGE 3+

MORALE 4+
REMOUNT 4+

SKILL 3+

ASSAULT 5+
COUNTERATTACK 5+

IS HIT ON 4+

FRONT
3

SIDE
2

TOP
0

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
10"/25CM	16"/40CM	24"/60CM	32"/80CM	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
Redeye AA missile	48"/120CM	2	-	-	5+	Guided AA
.50 cal MG	20"/50CM	3	2	4	5+	
7.62mm MG	16"/40CM	1	1	2	6	

ANZAC BRIGADE SCORPION ARMoured TROOP

SCORPION ARMoured TROOP

4x Scorpions

4 POINTS

2x Scorpions

2 POINTS

New Zealand's Queen Alexandra's Squadron train closely with the Aussies 'across the ditch' (the Tasman Sea) as part of the ANZAC Brigade. They are renowned for their skills not only in the recce role but also as close infantry support. Being able to get their 16 Scorpions into places a Leopard could only dream of, time and again the nimble Kiwi tanks have proven their worth in the field.

• TANK UNIT • SPEARHEAD •



COURAGE 3+

MORALE 4+
REMOUNT 4+

SKILL 3+

ASSAULT 3+
COUNTERATTACK 4+

IS HIT ON 4+

FRONT
2

SIDE
1

TOP
1

TACTICAL	TERRAIN DASH	CROSS COUNTRY DASH	ROAD DASH	CROSS
6"/15CM	20"/50CM	28"/70CM	36"/90CM	3+

WEAPON	RANGE	ROF HALTED	MOVING	ANTI- TANK	FIRE- POWER	NOTES
76mm gun	24"/60CM	2	1	14	2+	HEAT, Smoke, Sneak and Peek
7.62mm MG	16"/40CM	3	3	2	6	

